


Koble Yamaha og Garmin med J1939

Koble J1939 utstyr med GPSMAP®-kartplotteren i 1223/7400/7600/8400/8600-serien direkte på flersamlingspunktet til Yamaha Engine Bus for å få Yamaha's-integrert båtkontrollsystem og et tilpasset brukergrensesnitt for berøringsskjerm til Garmin-installasjonen din. Pass på å oppdatere plotter.



Man trenger

11: J1939 Kabel. [90 cm lang.](#)

10: Pigtail (4-Pin):[Link](#)



Pigtail bus wire


Part name	Length
6Y8-82521-01-00	0.3m (1 ft)
6Y8-82521-11-00	0.6m (2 ft)
6Y8-82521-21-00	0.9m (3 ft)
6Y8-82521-31-00	1.8m (6 ft)
6Y8-82521-41-00	2.7m (9 ft)
6Y8-82521-51-00	3.6m (12 ft)

Men er det ikke ledig 4-pin plugg må man koble en ekstra Single-hub eller Multihub:

Adding a Multi-Hub

Legge til ekstra 3-HUB

If there are no unused "Device Ports" on the Multi-Hubs already installed, before adding additional accessories or gauges to the network another Multihub must be added.



Parts order list for basic installation:


Quantity	Description	Part Number
1	Multi-Hub	6Y8-81920-01-00
1	Main Bus Harness	See List ¹

¹ Main Buss Harnesses

1 ft.	6Y8-82553-01-00
10 ft.	6Y8-82553-50-00
15 ft.	6Y8-82553-11-00
20 ft.	6Y8-82553-21-00
25 ft.	6Y8-82553-31-00
30 ft.	6Y8-82553-41-00

Adding a Inline (Single) Hub


Legge til ekstra 1-HUB (mini-hub)



Parts order list for basic installation:

Quantity	Description	Part Number
1	Command Link Plus® Multisensor Kit	MAR-3DCER-KT-00
1	Main Bus Harness	See List ¹

InLine Hub ledninger:





J1939 kabel

I deler.



Pigtail (4-Pin) kabel



Main bus wire. (6-pin)



Inline Hub